



ARCHITEXTURAL™

Surface. Designed.





REFURB WITH FILM

Looking for an alternative refurbishment solution?

Self-adhesive films could be a simple and cost-effective alternative for your interior design projects. Create faux finishes by wrapping existing surfaces, saving landfill and avoiding the disruption of traditional refurbishments.

Looking for an installer?


We have a growing network of fully trained applicators who will be able to supply and install your projects with confidence. This elite group of installers, from fit out, sign and graphics companies, all share the same mission, to be one of the first to uncover exceptional ways to renovate building interiors and exteriors and to tap into the growing market of architectural finishes.

Architextural...

UK'S LARGEST STOCKIST OF ARCHITECTURAL FILM BRANDS.

1000+ patterns now on our shelves
More choice for your clients
No more long lead times

See our full range of films;
architextural.co.uk



STANDARD RE-FITS COST 7 TIMES MORE



NO LOSS OF REVENUE



INCREASE REVENUE FOR PREMIUM ROOMS



QUICK INSTALL WITH NO BUILDING WORK



NOT JUST FOR FLAT SURFACES



1500 REALISTIC TEXTURES AND PATTERNS



TRANSFORM ONE ITEM OR TRANSFORM MANY



A SUSTAINABLE SOLUTION



FIRE TESTED, MOISTURE AND HEAT RESISTANT

THEY SAY THAT FORM FOLLOWS FUNCTION.
WE SAY FORM PRESERVES FUNCTION.



TRANSFORMING INTERIORS

With eco-friendly materials fast becoming rising stars in the world of interiors, there are multiple benefits of using architectural films and how they can refurbish existing surfaces. Gone are the days when wrapping was exclusive to vehicles; architectural films have opened up a wealth of design possibilities.



SUSTAINABLE SOLUTION

On average, it costs seven times more to rip out and replace interiors. Wrapping with architectural films is a novel way to upcycle existing fixtures and fittings, rather than send to landfill.





MINIMAL DISRUPTION


Architectural films can be applied in situ, with no noise, mess or waste. Little equipment and minimal prep is needed, meaning less downtime and inconvenience for businesses and they can stay open throughout.

The films are lightweight and conformable so they can be heated and stretched around many shapes, corners and contours without the need for edge banding.




APPROVED

All finishes are fire tested and meet building regulations. And as the product is a PVC solution, it is fully water and heat resistant, as well as and hygienic, all of which are important in high-traffic venues such as gyms, bars and restaurants.





APPLICATION INSPIRATION





APPLICATION INSPIRATION

Here's a selection of recent transformations using self-adhesive architectural films. Wrapping existing surfaces is a cost-effective design solution for interior and exterior new building refurbishment projects, these vinyl films realistically recreate the visual effect of natural materials at a fraction of the cost.



Bar BEFORE



Bar AFTER



Shop counter BEFORE



Shop counter AFTER



Reception desk BEFORE



Reception desk AFTER



Kitchen cupboards BEFORE



Bar BEFORE




Bar AFTER



Display shelving BEFORE



Display shelving AFTER



Doors BEFORE




Doors AFTER



Lobby BEFORE



Lobby AFTER



Kitchen cupboards AFTER



OUR BRANDS

Architectural finishes are highly engineered, durable films, designed to look and feel like real-life materials. The films are often applied with heat, by skilled installers, to provide a realistic hardwearing finish. This allows you to create bespoke designs using less expensive materials, by wrapping them to look like authentic marble, wood or concrete.

With hundreds of patterns in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes. Mimicking the aesthetics of natural materials, architectural films offer unrivalled choice of on-trend patterns and an alternative method to upcycle existing substrates in an affordable, high-quality finish.



3M DI-NOC

The extended collection offers over 1000 finishes, 3M DI-NOC is the leading brand in the architectural market. We stock the largest range of patterns in the UK, offering the most in demand popular finishes by the metre. 3M DI-NOC finishes are flexible cast PVC self-adhesive films with a Comply adhesive for easy application, meaning you are assured a premium finish for your projects.

EX: 3M DI-NOC Exterior collection can add life to tired building fronts. These durable, dimensionally stable, and weather resistant surface finishes are designed to transform the exterior of buildings. The product offers great value to both commercial and residential refurbishments, due to its minimum downtime as a result of the ease of application and no drying time, unlike paint, with the product offering a life expectancy of up to 10 years. All Exterior finishes are marked as EX in the following sections.

AR: Abrasion Resistant finishes offers increased durability for high traffic applications where more impact resistance is needed. Matching the standard finishes, you can identify these by the AR in the product code.

MT: 3M's new ultra matt films, featuring a unique topcoat that has been developed to provide fingerprint and dirt resistance. The coating on the film also enables an even smoother finish and texture to the surface, due to the specular reflection. Available on a wide selection of woods, stone, textile and single colour patterns to create unrivalled interior designs with film. All finishes containing MT codes belong to this collection.



COVER STYL'

As the fastest growing brand of architectural film, Cover Styl' films are available in hundreds of colours and finishes. Used widely throughout Europe, this emerging brand is a fantastic option where budgets are tight as a great value engineering proposition for refurbishments.

The range is polymeric calendered, with a durability of up to 10 years for indoor applications. Available in a huge range of finishes including wood grains, marble, leather, super matt, glitter, fabric, colours and stone.

The films are robust and durable for wrapping existing surfaces. We stock the largest selection in the UK, offering affordable options by the metre.



LX Hausys

LX Hausys BENIF Interior Film is the latest Architectural Film added to the Architextural portfolio. The range provides a budget-friendly solution for updating interiors, allowing dramatic makeovers that can be easily achieved without any need to break the bank. With the film, you can easily transform surfaces such as walls, doors, furniture, and fittings, with minimal disruption and reduced environmental impact than alternative options such as ripping out and replacing. Ideal for both residential and commercial refurbishment projects.

Leading stockists in the UK

The LX Hausys BENIF Interior range includes 475 unique patterns with a wide array of colours, textures, and finishes to choose from. Architextural hold the largest stock of LX Hausys BENIF Interior Films in the UK with nearly 200 of the most popular patterns all readily available for next-day delivery.

The finishes

Finishes including Solid Colours, Metal, Marble & Stone, Leather & Fabric, as well as a variety of the most desirable Wood Grains. Included in this are the Big Wood and Big Marble patterns, that feature larger repeats, ideal for those large-scale commercial projects covering surfaces such as walls or wide panels. The Embossed Premium Wood Range also offers a unique option for those seeking a more realistic finish, with a textured wood grain that accurately matches and mimics the pattern.



VION®

The brand-new VION Décor Interior Film collection can be applied to furniture such as tables, chairs, doors, cabinets, and walls. Furniture and surfaces can easily be updated, personalised, and upcycled using wrapping. These entry-level films are ideal for straightforward flat applications with limited resources.

The finishes

The new VION Interior Film collection is available in a variety of essential on-trend textures, including wood grain, fabric, colour, glitter, marble, and concrete, with a choice of 25 colours and finishes.

Application

The ideal upcycling answer with little resources and equipment. Suitable exclusively for 2D applications and for surfaces that are flat or slightly curved. Features for simple application include: Cutting grid on the reverse lining, gentle heating with a heat gun on flat or slightly curved surfaces, and wipe clean sanitary surfaces.



Sustainability

Decal interior Film is one of the most sustainable films in the Architextural portfolio, with all films being PVC free. Decal's PVC free range is the natural choice for those who want to reinforce ecological solutions. Decal's films are a sustainable and safe option for all spaces, respecting the environment and regulatory requirements.

Application

The range also gives space to imagination in interior decoration. Combining aesthetics and design with effectiveness and functionality, it is perfect for those who buy, apply and enjoy. We introduce our textured polypropylene (PP) films, which create new atmospheres and generate new sensations with versatility, safety, resistance, ecology, and easy cleaning.

A set of properties brought together in a single layer structure that makes it possible to idealize houses, offices, hotels, restaurants, shops and many other projects without investing in a total remodelling or making changes.

The finishes

In interior decoration, every detail counts for comfort, and the technical combination of printing and texture in the production of our All Decor 2d films makes the printed design and the deep pore of the relief totally coincident. With 20 different colours and finishes including woodgrain, metallic, stone and leather. Decal All Décor 2d contributes to creating natural and realistic textures.





ARCHITECTURAL FINISHES

Architextural, are part of William Smith Group 1832 and we stock the largest range of architectural films in the UK. Everything you see on the following pages are held in stock and available by the metre.

Visit our website to order samples of any of the finishes
www.architextural.co.uk



With hundreds of finishes in stock, the possibilities really are unlimited, making in-vogue design more than achievable with architectural finishes.

Choose from our extensive collection of finishes including Wood, Colours, Metallic, Stone, Fabric and Leather.





WOOD FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended



WOOD FINISHES



 FW-1683	 FW-1761	 FW-788	 FW-1765	 FW-1138	 FW-1208	 FW-7001	 FW-1307
 FW-1304	 FW-1976	 FW-1302	 FW-1745	 FW-789	 FW-1766	 FW-1981	 FW-1289
 FW-1681	 FW-1988	 FW-1262	 FW-1810	 FW-1285	 FW-1293	 FW-327	 FW-1289
 FW-1755	 FW-1296	 FW-1130	 FW-1122	 FW-1259	 FW-1286	 FW-1123	 FW-1289
 FW-1122EX	 FW-1805	 FW-1287	 FW-337	 FW-1257	 FW-1278	 FW-1218	 FW-1289



WOOD FINISHES



FW-237 FW-795 FW-1125 FW-888 FW-233 FW-889 FW-1124 FW-1021



FW-1022 FW-677 FW-650 FW-1121HAR FW-886 FW-1770 FW-1744 FW-651



FW-233EX FW-887EX FW-625 FW-330 FW-332 FW-656 FW-887 FW-643



FW-1216 FW-1275 FW-1986 FW-7007 FW-324 FW-625EX FW-618EX FW-1751



FW-1135 FW-653 FW-1036 FW-1127 FW-1288 FW-522 FW-1762 FW-1751

WOOD FINISHES



MW-1244 MW-1418 MW-1833 MW-1832 MW-1834 MW-777 MW-1419 MW-776



WG-657 EX WG-2078 WG-1067 WG-2076 WG-1343 WG-1046 WG-960 EX WG-467



WG-1144 WG-478 WG-833 WG-832 WG-243 WG-1141 WG-2944 WG-1143



FW-1971 WG-2705 WG-1837 AE-2168 WG-964 WG-166 WG-2072 WG-1353



WG-696 WG-947 WG-1336 WG-2077 WG-1360 WG-1140EX WG-697 WG-1706



WOOD FINISHES



WG-1382 WG-836 WG-629 WG-7022 WG-364 GN WG-763 GN WG-865 WG-841




WG-157 WG-943 WG-694 WG-417 WG-1147 WG-1376 WG-1374 WG-156



WG-1835 WG-2047 WG-664 WG-1052 WG-1050 WG-1070

WOOD FINISHES



DW-1872 MT DW-2198 MT DW-1888 MT DW-1875 MT DW-2219 MT DW-1889 MT DW-1897 MT DW-1878 MT




DW-1877 MT DW-1890 MT DW-2224 MT DW-1884 MT DW-1898MT DW-1891 MT DW-2226 MT DW-1886MT




DW-1882MT DW-1896MT DW-1992MT DW-2229MT TE-1653

WOOD FINISHES



A4 W A1 W AA15 W AA12 W AA13 W AA09 W AA11 W




AA08 W AA14 W AB02 W AB03 W AB06 W AB05 W AB07 W



AC02 W AC04 W AC01 W AF07 W AF02 W AF03 W AF09 W



AF05 W AF08 W AF06 W AF01 W AG13 W AG01 W AG07 W



AG04 W AG20 W AG14 W AG21 W AG08 W AG11 W AG02 W

WOOD FINISHES



AG16 W AG18 W AG15 W AG17 W AG09 W AG10 W AL29 W AL36 W



AL23 W AL10 W AL30 W AL26 W AL08 W AL28 W AL24 W AL34 W



AL14 W AL12 W AL25 W AT03 W AT05 W AT02 W AT06 W AZ10 W



AZ06 W AZ07 W AZ02 W AZ03 W AZ01 W AZ04 W B50 W B6 W



B5 W B8 W B4 W B3 W B1 W B9 W CT91 W CT102 W



WOOD FINISHES



CT18 W CT17 W CT35 W CT73 W CT74 W CT92 W CT93 W CT95 W



CT90 W CT19 W CT13 W CT14 W CT76 W CT94 W CT79 W CT100 W



CT101 W CT40 W CT96 W CT28 W CT33 W CT84 W CT62 W CT20 W



CT45 W CT49 W CT16 W CT97 W CT48 W CT41 W CT01 W CT06 W



CT53 W CT46 W CT75 W CT98 W CT99 W CT78 W CT87 W CT77 W

WOOD FINISHES



CT70 W CT10 W CT44 W CT22 W CT71 W CT54 W CT05 W CT08 W



CT09 W CT43 W CT29 W CT24 W CT26 W CT89 W CT57 W CT66 W



CT21 W CT25 W CT02 W CT67 W CT60 W CT56 W CT80 W CT88 W



CT15 W CT42 W CT37 W CT36 W CT27 W CT86 W CT69 W CT68 W




CT55 W CT59 W CT61 W CT52 W CT58 W CT04 W CT50 W C2 W




WOOD FINISHES




D4 W D1 W E4 W E50 W F5 W F4 W F6 W F7 W



G0 W G6 W AF10 W AT04 W H10 W H50 W H7 W H6 W



CT82 W H4 W H5 W I9 W I14 W I11 W I7 W I10 W



J17 W J14 W J18 W J2 ! W MA10 W MA16 W MA12 W MA14 W



NE63 W NE61 W NE66 W NE67 W NE64 W NE65 W NE57 W NE13 W

WOOD FINISHES



NE68 W NE62 W NE45 W NE46 W NF17 W NF18 W NF85 W NF86 W



NF21 W NF58 W NF64 W NF29 W NF40 W NF19 W NF32 W NF75 W



NF27 W NF20 W NF22 W NF23 W NF24 W NF25 W NF28 W NF36 W



NF34 W NF31 W NF87 W NF72 W NF73 W NF62 W NF96 W NF53 W



NF76 W NF42 W NF74 W NF44 W NF46 W NF38 W NF30 W NF41 W



WOOD FINISHES



NF35 W NF45 W NF80 W NF48 W NF89 W NF88 W NF77 W NF78 W



NF57 W NF66 W NF63 W NF79 W NF61 W NF43 W NF94 W NF47 W



NF37 W NF39 W NF90 W NF91 W NF92 W NF67 W NF82 W NF65 W




NF81 W NF68 ! W NF50 W NF95 W NF51 W NF33 W NF59 W NF93 W



NF55 W NF49 W NF83 W NF56 W NF69 W NF54 W NF71 W

WOOD FINISHES



NF52 W NF60 W NF26 W T50 W



NH15 NH57 NH71 NH73 NH75 NH77 NH79 NH80



WI01 ! WI02 !

WOOD FINISHES



BW001 BW005 BW007 BW014 BW008 BW006 BW009 BW002



BW015 BW003 CW511 CW537 CW527 CW604 CW556 CW626



CW453 CW79 CW519 CW605 CW407 CW582 CW150 CW513




CW466 CW624 DW633 DW639 DW647 DW645 DW636 DW634



DW638 DW649 DW467 FWES3

WOOD FINISHES



NW082 PW105 NW006 NW101 NW083 PW102 NW122 NW121



NW042 NW043 NW060 NW046 NW055 NW117 NW123 NW068



NW017 PW127 PW128 PW112 PW118 PW119 PW131 PW107



PW108 PW135 PW124 PW115 PW122 SW001 SW002 SW006



SW003

WOOD FINISHES



Z3432 ! Z3426 ! Z3425 ! Z3411 ! Z3436 Z3410 ! Z3412 !



WOOD FINISHES



WOB1 WOB6 WOB2 WOB3 WOB4 WOB5 WOB7








COLOUR FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

 Suitable for external application

 Not recommended for use on compound curves / stretching

 Overlaps preferred, splice joints not recommended

COLOUR FINISHES



 PS-959 	 PS-1187 	 PS-1185 	 PS-983 	 PS-1436 	 PS-1186 	 PS-090 	 PS-031 
 PS-3904MT 	 PS-1863 MT 	 PS-091 	 PS-093 	 PS-022 	 PS-034 	 PS-074 	
 PS-2098 MT 	 PS-1989 MT 	 PS-503 	 PS-955 	 PS-954 	 PS-971 	 PS-952 	 PS-950 
 PS-3093 MT 	 PS-949 	 PS-992 	 PS-1869 MT 	 PS-1867 MT 	 PS-504 	 PS-293 	 PS-1005 
 PS-1440	 PS-948 	 PS-999 	 PS-1870 MT 				



COLOUR FINISHES



COLOUR FINISHES



PS-1443 PS-912 PS-1444 PS-141 PS-1821 PS-1822



PS-1010 PS-914 PS-665 PS-139 PS-1447



PS-1450 PS-920 PS-506 PS-140 PS-668 PS-1825 PS-1826



PS-1454 PS-121 PS-1455 PS-2060 PS-1823 PS-1457 PS-1824



PS-1459 PS-910 PS-900 PS-1008 PS-1009 PS-107




WH-111 PWF-500



PS-096 PS-719 PS-1448 PS-1452 PS-112



PS-1442 PS-116 PS-713 PS-281 PS-1820



PS-959 EX PS-976 EX PS-957 EX PS-090 EX HG-1994

COLOUR FINISHES




COLOUR FINISHES




COLOUR FINISHES



NH02 NH05 NH06 NH08 NH21 NH22



NH24 NH27 NH91 NH92 NH93



L2 R9 J16 R14 R16 R15 R11 R12



R13 R6 R5 R19 R17 R18 R7 R8

COLOUR FINISHES



RGM05 RGM04 RGM03 RGM10 RGM02 RGM01 RGM06 RS116



RS104 RS107 RS105 RS140 RS40 RS35 RS176 RS49



RS57 RS163 RS56 RS170 RS68 RS76 RS55 RS91



RS162 RS45 RS151 RS121 RS142 RS134 RS52 RS136



RS135 RS103 RS175 RS22

COLOUR FINISHES



RS130 RS86 RS118 RS119 RS58 RS125 RS165 RS120



RS127 RS89 RS61 RS27 RS128 RS51 RS166 RS123



RS87 RE03 SM001 SM005 SM003 SM006 SM008 SM007



COLOUR FINISHES



SCB5 SCB1 SCB6 SCB2 SCB4 SCB3 SCB7




GLB2 GLB1





METALLIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

 Suitable for external application

 Not recommended for use on compound curves / stretching

 Overlaps preferred, splice joints not recommended



METALLIC FINISHES



 PA-180 	 PA-046 	 PA-683 	 PA-039 	 PA-038 	 PA-183 	 PA-320 	 PA-181 
 PA-175 	 PA-036 	 PA-045 	 PA-187 	 PA-390 	 PA-185 	 PA-389 	 PG-189
 ET-1775	 ET-1772	 TE-1650	 TE-1714	 TE-1713	 TE-1652	 HS-1655	 HS-1656
 AE-1643 	 AM-1720 	 AM-1697 	 AM-1701 	 AM-1699 	 AM-1702 	 RT-1112 	 RT-1111 
 FA-1167	 FA-1521	 FA-1166 	 FA-1962	 FA-690 	 FA-688 	 FA-592 	 FA-1531 



METALLIC FINISHES



ME-2026	ME-1467 AR	ME-1716	ME-1466	ME-904	ME-377	ME-1435	ME-432
ME-1961	ME-1434	CH-2116	ME-396	ME-1223	ME-1997	ME-009AR	ME-1224
ME-147	ME-2024	ME-2022	ME-2023	ME-2020	ME-2027	ME-1174	ME-1225
ME-1781	ME-379	ME-388	ME-1175	ME-1684	ME-2284AR	ME-431	ME-1685
ME-2285AR	PG-197	PA-1854 EX	PA-187 EX	PA-039 EX	PA-038 EX	PA-181 EX	PA-389 EX


METALLIC FINISHES



VM-305	VM-306	VM-381	VM-1691	VM-1692	VM-1693	VM-2035	VM-2034
VM-2121	VM-1695	VM-1694	VM-2037	VM-2038	VM-2039	VM-381	VM-1862 MT
VM-1855 MT	VM-800	CH-1629	LZ-462	FE-1964	FE-1966	FE-1967	LZ-461
BW-1310	BW-1312	BW-1314	FA-1153	FA-1530EX	LW-1085	LW-1084	LW-1083
CA-419	CA-418	CA-420	CA-421	RS-1189			




METALLIC FINISHES



METALLIC FINISHES



METALLIC FINISHES






Z3431 **!** Z3420 **!** Z3437



STONE FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

-  Suitable for external application
-  Not recommended for use on compound curves / stretching
-  Overlaps preferred, splice joints not recommended



STONE FINISHES



AE-1953	AE-1632	AE-1637	AE-1634	AE-1959MT	AE-1931MT	AE-1639	AE-1638
AE-1880MT	AE-1913MT	CN-1622	CN-1621	AE-2150	AE-2154	AE-2162MT	AE-1928MT
AE-1717	AE-1718	AE-1635	AE-2164MT	AE-1960MT	AE-1926MT	AE-1932MT	AE-1645
AE-1719	AE-1633	AE-1951	AE-2155	AE-1933MT	AE-1944MT	AE-1929MT	
AE-1632EX	AE-1634EX	AE-1635EX	AE-1952	AE-1640	AE-1642	AE-1641	


STONE FINISHES




CN-1623	FA-1678	FA-1527	FA-1526	FA-1680	FA-2169	FA-1962	
ST-1914MT	ST-1831	ST-736EX	ST-1915MT	ST-1927MT	ST-1828	ST-1829	ST-1829
ST-1918MT	ST-1912MT	ST-1912MT	ST-1586	ST-1920MT	ST-1830	ST-1916MT	ST-442EX
ST-737	PC-491	PC-760	PC-1179	PC-1178			



STONE FINISHES




STONE FINISHES



STONE FINISHES



BM001 BM007 BM008 BM002 BM003 BM009 BM004 BM011



BM005 BM010 BM012 BM006 RM12 EL177 EL176 ML67



ML56 ML23 ML57 ML77 ML75 ML76 ML71 ML58




ML24 ML72 ML80 ML74

STONE FINISHES



Z3434 Z3435 Z3414 Z3416




Z3415 Z3413 Z3430

STONE FINISHES



NSB1 NSB4 NSB2 NSB3



MAB2 MAB1





FABRIC FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.



Suitable for external application



Not recommended for use on compound curves / stretching



Overlaps preferred, splice joints not recommended

FABRIC FINISHES



NU-1237	!	!	!	!	!	!	!
NU-1942 MT	!						
NU-1795			!	!	!		
NU-1787	!	!	!	!	!		




FABRIC FINISHES



FE-1731 FE-1966 FE-1732 FE-1729 FE-1730




FE-804 FE-805 FE-813 FE-801



SI-1686 SI-1232 SI-1235 SI-1613




FABRIC FINISHES



AL09 MK18 MK21 MK19 NE37 NE38 NE36 NE74



NE33 NE73 NG11 NG07 NG10 NG13 NG12 NG06




NG09 ST02 T10 T51 T12 W2



NH18 NH19




FABRIC FINISHES



ML49




ML47



ML45




ML48



SF009



SF003



SF002




SF005



SF008




SF006



SF007



SF001



SF010



EL235



FABRIC FINISHES



FAB1



FAB2



FAB3








LEATHER FINISHES



Performance varies dependent upon individual pattern construction. Please cross reference the symbols below each finish for application considerations.

 Suitable for external application

 Not recommended for use on compound curves / stretching


 Overlaps preferred, splice joints not recommended

LEATHER FINISHES

 LE-1105	 LE-1552 	 LE-018	 LE-2128 	 LE-1109 	 LE-1108 
 LE-2741	 LE-2782 	 LE-1555	 LE-1229	 LE-1228	 LE-517  
 LE-1106 	 LE-1231	 LE-1171 	 LE-1551	 LE-1104 	
 SU-2232 MT 	 SU-2233 MT 	 SU-2231 MT 	 SU-2234 MT	 SU-2235 MT 	



LEATHER FINISHES



LEATHER FINISHES





TECHNICAL SPECIFICATIONS

The use of architectural film has become more prevalent over the last few years as there has been a shift in attitude toward using sustainable solutions and methods within the construction sector.

Wrapping doors or case goods instead of ripping out and sending to landfill is a powerful statement for any stakeholders within a refurbishment scheme.

We recommend you discuss all technical considerations for your project with one of our skilled installation partners. Please contact us to organise a consultation or trial application with a member of our installation network



DURABILITY

Due to the number of finishes available, durability varies between patterns and brands. Cover Styl' finishes typically last 10 years, standard 3M DI-NOC has a durability of 5 years for exterior applications but up to 12 years for indoor use. The specialist exterior range however is expected to last 10 years+ ensuring protection against defects in fading, peeling, discoloration or loss of adhesion.

ABRASION RESISTANCE

Superior to many common wall surfaces such as paint/wallpaper, an equivalent level of HPL. There are additional specialist ranges also available for high traffic areas, or where greater protection is sought.

IMPACT RESISTANCE

Performance is superior to many common wall surfaces such as paint/wallpaper. However, film surfaces can be dented if sufficient force is applied. Impact resistance is highly dependent on the strength of the substrate material onto which it is applied. As it is a vinyl, it offers a degree of cushioning on impact, where harder substrates such as laminates may crack with the same impact. However, the beauty of architectural film, is that any damage over its lifetime can be repaired with an invisible patch, without having to remove or replace any expensive panels.

CLEANING

Architectural films are made from durable PVC, meaning they are wipeable and practical. They are also resistant to staining by common substances e.g. food or household cleaners. Full technical spec sheets are available on request.

FIRE CERTIFICATION

Architectural films meet all building and IMO regulations with fire certifications available across the range. Should you require specific information by patterns, we can put you in touch with our technical department. Fire test results vary by finish and application substrate, with most classified as class B or C with low dripping and emissions.





ARCHITEXTURAL™

Surface. Designed.



For more information visit
www.architextural.co.uk

01833 690305

info@architextural.co.uk

www.architextural.co.uk



William Smith Group 1832 Grove Works Queen Street Barnard Castle DL12 8JQ

PART OF **WILLIAM SMITH GROUP 1832**

